

**WARNING**  
**Keep out of reach of children**

# SYLLIT<sup>®</sup> PLUS

Active ingredient: 400 g/litre dodine in the form of a suspension concentrate

Fungicide for the control of Black Spot in Apples, Pears and Roses and Leaf curl in Peaches and Nectarines



Registered pursuant to the ACVM Act 1997, No. P004155  
See [www.foodsafety.govt.nz](http://www.foodsafety.govt.nz) for registration conditions.  
Approved pursuant to the HSNO Act 1996 No. HSR000494  
See [www.epa.govt.nz](http://www.epa.govt.nz) for approved conditions.

Registered to: UPL New Zealand Limited  
PO Box 51584, Pakuranga  
Auckland, New Zealand  
0800 100 325

Distributed by: Fruitfed Supplies (logo)  
Building 2, 1 William Pickering Drive, Albany, Auckland 0632  
Phone: (09) 448 0510 Fax: (09) 448 0511

**Net contents: 10 litres**

Batch no.  
Date of manufacture:



**PLEASE READ THE LABEL COMPLETELY BEFORE USE**

**This product MUST NOT be used for any purpose or in any manner contrary to the controls and conditions of registration.**

**Any person purchasing, handling or disposing of this product must be suitably qualified**

**WARNING:**

Harmful if swallowed or inhaled.  
Causes skin irritation.  
Causes serious eye irritation.  
May cause organ damage from repeated oral exposure at high doses.  
Very Toxic to aquatic life with long lasting effects.  
Hazardous to terrestrial vertebrates.  
Hazardous to terrestrial invertebrates.

**PRECAUTIONS:**

Do not breathe spray.  
Use only outdoors or in a well-ventilated area.  
Wash hands thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear protective gloves.  
Wear eye protection.  
Avoid release to the environment.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor if you feel unwell.

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

Rinse mouth.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice.

Take off contaminated clothing and wash before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice.

Get medical advice if you feel unwell.

Collect spillage.

Dispose of contents/container in accordance with local regulations.

**STORAGE:** Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from food stuffs. When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of this product if it is older than this.

**SPILLS AND DISPOSAL:** When dealing with spills wear personal protective clothing and equipment as described in the PERSONAL PROTECTION section. Contain the spill by damming, recover spilt product by absorbing with sawdust or an inert absorbent material then transfer the recovered spilt material to a properly labelled drum. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

**Disposal:** Dispose of this product only by using according to the label or at an approved landfill. Avoid contamination of any water supply with product or empty container.

**Container Disposal:** Triple rinse container and add residue to mixture. Take to an Agrecovery collection site.

#### **FIRST AID:**

If swallowed do NOT induce vomiting.

For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately.

If skin contact occurs, remove contaminated clothing and flush skin with running water, if irritation occurs seek medical advice.

If splashed in eyes, wash out immediately with water, if irritation persists get medical advice.

If inhaled move the victim to fresh air immediately.

#### **GENERAL**

Syllit Plus is a fungicide with both preventative and curative properties and is recommended for the control of black spot in apples, pears and roses and Leaf curl in peaches and nectarines.

Resistance to this fungicide could develop from excessive use. To minimise this risk, use strictly in accordance with label instructions.

#### **DIRECTIONS FOR USE**

**Mixing:** Shake the container well before use. Add the required amount of Syllit Plus to a spray tank half filled with clean water. Agitate thoroughly during completion of filling and during spray operation. If using in conjunction with emulsifiable spraying oils, add Syllit Plus to a quarter filled spray tank, add water to half fill the tank, then add the required amount of spraying oil while filling the tank with water. Keep agitated.

**Compatibility:** Syllit Plus is compatible with most commonly used orchard insecticides and fungicides. If unsure, check compatibility before use. Do not combine with captan, copper or sulphur and strongly alkaline materials such as hydrated lime or Bordeaux mixtures.

#### **INSTRUCTIONS FOR USE**

Rates recommended below are for high volume spraying to the point of run-off on mature trees.

Rates should be increased for concentrate spraying. Consult your local advisor for specific dilutions.

Good even coverage of all plant surfaces is essential.

**BLACKSPOT CONTROL**

Crop	Stage	Rate	Remarks
Apples	Greentip* Tight Cluster to 1 <sup>st</sup> Cover. 2 <sup>nd</sup> Cover to harvest	80ml per 100 litres. 80ml per 100 litres. 40-80ml** per 100 litres.	Apply at 7-10** day intervals. Apply at 10-16** day intervals
Pears	Greentip* Tight Cluster to 1 <sup>st</sup> Cover. 2 <sup>nd</sup> Cover to harvest	120ml per 100 litres. 120ml per 100 litres. 80-120ml** per 100 litres.	Apply at 7-10** day intervals. Use as soon as possible after rain.
Roses	Bud burst to March.	10ml per 10 litres.	Apply at 10-14 day intervals.

\*May be combined with spraying oil.

\*\*Use higher rate and/or shorter spray interval under conditions of severe disease pressure.

Do not make more than three applications per season, preferably in alternation with other compounds.

**LEAF CURL CONTROL**

Crop	Stage	Rate	Remarks
Peaches, Nectarines	Bud-movement to pink	150ml per 100 litres.	Apply twice at 7-10 day intervals.

**ADDITIONAL INFORMATION**

Syllit Plus should not be applied under slow drying conditions, or during or immediately after frost when fruit is susceptible to russet injury.

Syllit Plus may cause foliar injury to Quinces.

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residues Levels for Agricultural Compounds.**

**It is an offence to use this product on animals.**

**WITHHOLDING PERIOD:**

Pipfruit: 14 days

Peaches and Nectarines: Do not apply after the start of flowering.

**CONDITIONS OF SUPPLY – Read before buying and using.****IF THESE CONDITIONS ARE UNACCEPTABLE, RETURN AT ONCE UNOPENED.**

This product is of a high grade and conforms to the chemical description on the label. However, all warranties of any kind, expressed or implied, with respect to the fitness for purpose (including crop injury, ineffectiveness or any other unintended consequence), merchantable quality or any other matter, are expressly excluded. To the extent permitted by law, buyers and/or users accept that neither the manufacturer, PGG Wrightson Ltd as distributor, nor any other of its distributors, accept any liability (including in negligence, tort and equity) or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this

product including without limitation storage, application, handling or use. The Terms of Sale that apply to this product are located at [www.pggwrightson.co.nz](http://www.pggwrightson.co.nz) > Our Company> Terms & Conditions > Terms of Sale.

Syllit Plus is a registered trademark of AGRIPHAR S.A.

EMERGENCY PHONE: 0800 CHEMCALL – 0800 243 62255